OP MEASURE RESOURCE LINKS

ORYX CHART		
ABSTRACTED MEASURES		

OP-18 Median Time from ED Arrival to ED Departure for Discharged ED Patients

RESOURCE

AHRQ Improving Patient Flow and Reducing Emergency Department Crowding: A Guide for Hospitals

LINK

(https://www.ahrq.gov/sites/default/files/publications/files/pt flowguide.pdf)

OP-40 Appropriate Treatment for ST-Segment Elevation Myocardial Infarction (STEMI) Patients in the Emergency Department (ED)	eCQI Resource Center: CMS link to human readable form of eCQM OP-40	(https://ecqi.healthit.gov/oqr)
OP-40 Appropriate Treatment for ST-Segment Elevation Myocardial Infarction (STEMI) Patients in the Emergency Department (ED)	AHA/ASA Journals: 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction	(https://www.ahajournals.org/doi/10.1161/CIR.0b013e3182 742cf6)
OP-40 Appropriate Treatment for ST-Segment Elevation Myocardial Infarction (STEMI) Patients in the Emergency Department (ED)	AHA/ASA Journals: Association Between 90-Minute Door-to- Balloon Time, Selective Exclusion of Myocardial Infarction Cases, and Access Site Choice	